



TEST INJECTOR DIESEL & GASOLINE

TEST INJECTOR

AAE060-0H HAND TEST INJECTOR

Hand test injector with valve.

Similar Bosch 0.681.200.502



The hand test injector is composed of:

- Manometer 0-400 or 0-600 Bar with glycerine in Bar and in PSI;
- Standard pipes 14x14 and 12x12;
- Manual lever;
- Filter;
- Tank;
- Measure: mm 415 x 540 x 130, weight kg. 7,00.

AAE060-0A SUCTION DEVICE



AAE060-0A – SUCTION DEVICE

Similar Bosch 0.684.200.702

TEST INJECTOR

DSC TESTER TO CLEAN INJECTOR



Tester to clean inside the injector

Used to rinse-off micro particles from diesel parts after being ultrasonically cleaned.

Up to 1100 bar system

Useful and recommended before to mount the nozzleholders on the test bench.

It avoids to dirty and so also to damage the measuring-cell for the test bench.

With ultrasonic cleaning tank UB15s, capability 1,75 lt, with heating system

Testing liquid BL9005-00

Liquid for ultrasonic tank BL9008-00

UB15s – ULTRASONIC TANK 1,75LT



OPTIONAL

CRIN Adaptors
Trolley version Small

TEST INJECTOR

DS2i-20 DIESEL TEST INJECTOR



DS2i-20

Diesel test injector
It tests nr. 1 injector at time
Bosch – Delphi – Siemens – Denso
Electromagnetic and Piezo
Graduated and led illuminated tubes to check
the volumes with automatic drainage
With test plans
Automatic programs completely customise
Up to 1850 bar
User friendly
Testing liquid BL9006-00

DS2i-21

It has the same features of DS2i-20 with in addition:
Program to wash inside the injectors
Ultrasonic tank UB15s
Ultrasonic tank 1,75Lt with heating system,
Ultrasound frequency 42KHZ
Chemical cleaning liquid to wash inside the injector(BL9005-00)
Ultrasonic liquid (BL9006-00 o BL9001-00)



OPTIONAL

CRIN Adaptors
Trolley version Large

TEST INJECTOR

GASOLINE TEST INJECTOR



GS4-20

Tester to check gasoline injectors (direct injection)

GASOLINE+ GPL + NATURAL GAS

(no gasoline piezo injector)

It tests nr. 4 injectors at time

Bosch – Delphi – Siemens – Denso

Graduated and led illuminated tubes to check the volumes with automatic drainage

With test plans

Automatic programs completely customise

With ultrasonic tank ub-15s (lt. 1,75 – heating – ultrasound 42KHZ)

Revers cleaning program

Adaptors Exclusive version

User friendly

Testing liquid and Ultrasonic liquid BL9007-00- BL9008-00

Optional:

* Trolley version Small

TEST INJECTOR

GASOLINE TEST INJECTOR

**HIGH
BAR**



GD1i-X0

Tester to check gasoline injectors (direct injection)
BOBINA + PIEZO
(no gpl – gas – natural gas)
It tests nr. 4 injectors at time
Bosch – Delphi – Siemens – Denso
Graduated and led illuminated tubes to check the volumes with automatic drainage
With test plans
Automatic programs completely customise
Up to **30-300 bar**
Kit of adaptors
User friendly
Testing liquid BL9007-00

GD1i-X1

It has the same features of GD1i-X0 in addition:
Ultrasonic tank UB15s
With capability of 1,75Lt with heating system,
Ultrasound frequency 42KHZ
Ultrasonic liquid BL9008-00 and testing liquid BL9007-00

OPTIONAL

Trolley version Large

TEST INJECTOR

LIQUIDS FOR TEST INJETORS



BL9006-00 – TESTING LIQUID DIESEL 4 LT

BL9007-00 – TESTIN DIESEL GASOLINE 4 LT

BL9005-00 – SPECIAL CHEMICAL TREATMENT FOR INSIDE
CLEANING INJECTOR PROGRAM – DIESEL - 2 LT



BL9008-00 – ULTRASONIC LIQUID - 4 LT

BL9003-00 – OIL FOR TEST BENCH FUCHS 20 LT
Oil for test bench
APPROVED AND RECCOMMENDE BY BOSCH!

BL9003-01 – OIL FOR TEST BENCH FUCHS 20 LT
Oil for test bench

